tolylfluanid (ISO) [containing ≥ 0.1% (w/w) of particles with an aerodynamic diameter of below 50 µm]@dichloro-N-[(dimethylamino)sulphonyl]fluoro-N-(p-tolyl)methanesulphenamide

IDENTIFICATION NUMBERS

- **CAS:** 731-27-1
- **EC/EINECS:** 211-986-9

MORE INFORMATION

- **Synonyms:** dicloro-N-[(dimetilamino)sulfonil]fluoro-N-(p-tolil)metanosulfenamida, tolilfluanida (ISO) con ≥ 0,1% (p/p) de partículas con un diámetro aerodinámico inferior a 50 µm

USES

pesticide

⚠ **Black list — Substances particularly hazardous to the environment or health**

CLASSIFICATION AND LABELLING (Regulation 1272/2008)

Symbols



GHS06

Acute toxicity (oral, dermal, inhalation)



GHS08

Respiratory sensitisation



GHS09

Hazardous to the aquatic environment

Signal word: **Danger**

H Phrases

H330 : Fatal if inhaled

Acute Tox. (Cat. 2 *) : Acute toxicity

H372 : Causes damage to organs through prolonged or repeated exposure

STOT RE (Cat. 1) : Specific target organ toxicity - repeated exposure

H319 : Causes serious eye irritation

Eye Irrit. (Cat. 2) : Serious eye damage/eye irritation

H335 : May cause respiratory irritation

STOT SE (Cat. 3) : Specific target organ toxicity - single exposure

H315 : Causes skin irritation

Skin Irrit. (Cat. 2) : Skin corrosion/irritation

H317 : May cause an allergic skin reaction

Skin Sens. (Cat. 1) : Respiratory/skin sensitization

H400 : Very toxic to aquatic life

Aquatic Acute (Cat. 1) : Hazardous to the aquatic environment

Labelling

Concentration	Labelling
C >= 2,5 %	N; R50
	M=10

Specific health risks

Sensitisers

Substances with skin or respiratory sensitisation potential