# beryllium acetylide

## IDENTIFICATION NUMBERS

- **CAS:** 506-66-1
- **EC/EINECS:** 208-050-7

## MORE INFORMATION

- **Molecular Formula:** CBe2
- **Synonyms:** CARBURO DE BERILIO

⚠ **Black list — Substances particularly hazardous to the environment or health**

## CLASSIFICATION AND LABELLING (Regulation 1272/2008)

### Symbols



**GHS06**

Acute toxicity (oral, dermal, inhalation)



**GHS08**

Respiratory sensitisation



**GHS09**

Hazardous to the aquatic environment

### Signal word: Danger

### H Phrases

**H372** : Causes damage to organs through prolonged or repeated exposure

STOT RE (Cat. 1) : Specific target organ toxicity - repeated exposure

**H330** : Fatal if inhaled

Acute Tox. (Cat. 2 *) : Acute toxicity

**H301** : Toxic if swallowed

Acute Tox. (Cat. 3 *) : Acute toxicity

**H319** : Causes serious eye irritation

Eye Irrit. (Cat. 2) : Serious eye damage/eye irritation

**H335** : May cause respiratory irritation

STOT SE (Cat. 3) : Specific target organ toxicity - single exposure

**H315** : Causes skin irritation

Skin Irrit. (Cat. 2) : Skin corrosion/irritation

**H317** : May cause an allergic skin reaction

Skin Sens. (Cat. 1) : Respiratory/skin sensitization

**H411** : Toxic to aquatic life with long lasting effects

Aquatic Chronic (Cat. 2) : Hazardous to the aquatic environment

**H350i** : May cause cancer by inhalation.

Carc. (Cat. 1B) : Carcinogenicity

*Nota A.*

### Notes

- R.1272-Note A

## Specific health risks

### According to IARC

Substances classified as carcinogens or mutagens Category 2 under the CLP Regulation (GHS), bearing H351 and/or H341 phrases. These are substances suspected of causing cancer or heritable genetic mutations in humans.

**IARC GROUP**

Grupo 1

**IARC VOLUME**

(VOL. 58; 1993)

### Occupational Exposure Limits (OEL)

Daily exposure limit values (VLA-ED) published by the Spanish National Institute of Safety and Health at Work (INSST). They represent the average concentration of a chemical agent in the worker's breathing zone, measured or calculated in a time-weighted manner for an 8-hour daily working period. (https://www.insst.es/valores-limites-de-exposicion)

**OCCUPATIONAL EXPOSURE LIMITS**

| State / Form | TWA (ppm) | TWA (mg/m³) | STEL (ppm) | STEL (mg/m³) | Notes |
|---|---|---|---|---|---|
| — | — | 0,0002 | — | — | Sen, r |

### Sensitisers

Substances with skin or respiratory sensitisation potential

## Restriction/prohibition regulations

### Major accident hazards (Seveso)

Hazardous substances listed in Annex I of the Seveso III Directive (Directive 2012/18/EU), transposed in Spain by Royal Decree 840/2015. Their presence in industrial establishments in quantities equal to or above established thresholds triggers obligations to implement major accident risk control measures.