[(octylsuccinyl)bis(oxy)]bis[tributylstannane]

IDENTIFICATION NUMBERS

- **CAS:** 67701-37-5
- **EC/EINECS:** 266-955-2

MORE INFORMATION

- **Molecular Formula:** C36H74O4Sn2
- **Synonyms:** bis[tributil-[(2-octil-1,4-dioxo-1,4-butanediil)bis(oxi)]estannano, 5,5,12,12-tetrabutil-8-octil-7,10-dioxo-6,11-dioxa-5,12-diestannahexadecano, [(2-octil-1,4-dioxo-1,4-butanodiil)bis(oxi)]bis[tributilestannano]

⚠ **Black list — Substances particularly hazardous to the environment or health**

CLASSIFICATION AND LABELLING (Regulation 1272/2008)

Symbols



GHS06

Acute toxicity (oral, dermal, inhalation)



GHS08

Respiratory sensitisation



GHS09

Hazardous to the aquatic environment

Signal word: Danger

H Phrases

H312 : Harmful in contact with skin

Acute Tox. (Cat. 4 *) : Acute toxicity

H372 : Causes damage to organs through prolonged or repeated exposure

STOT RE (Cat. 1) : Specific target organ toxicity - repeated exposure

H319 : Causes serious eye irritation

Eye Irrit. (Cat. 2) : Serious eye damage/eye irritation

H315 : Causes skin irritation

Skin Irrit. (Cat. 2) : Skin corrosion/irritation

H400 : Very toxic to aquatic life

Aquatic Acute (Cat. 1) : Hazardous to the aquatic environment

H410 : Very toxic to aquatic life with long lasting effects

Aquatic Chronic (Cat. 1) : Hazardous to the aquatic environment

H301 : Toxic if swallowed

Acute Tox. (Cat. 3 *) : Acute toxicity

Nota A.Nota 1.

Notes

- R.1272-Note A
- R.1272-Note 1

Labelling

Concentration	Labelling
C >= 25 %:	T, N; R21-36/38-48/23/25- 50/53
2,5 % <= C < 25 %:	T, N; R21-36/38- 48/23/25-51/53
1% <= C < 2,5 %:	T; R21-36/38-48/23/ 25-52/53
0,25 % <= C < 1 %:	Xn; R22-48/20/22-52/ 53
	*

Specific health risks

Occupational Exposure Limits (OEL)

Daily exposure limit values (VLA-ED) published by the Spanish National Institute of Safety and Health at Work (INSST). They represent the average concentration of a chemical agent in the worker's breathing zone, measured or calculated in a time-weighted manner for an 8-hour daily working period. (https://www.insst.es/valores-limites-de-exposicion)

OCCUPATIONAL EXPOSURE LIMITS

State / Form	TWA (ppm)	TWA (mg/m³)	STEL (ppm)	STEL (mg/m³)	Notes
—	—	0.1	—	0.2	vía dérmica

Environmental regulations

LPCIC (EPER)

Priority substances and specific pollutants within the EU water policy framework, established by the Water Framework Directive (2000/60/EC) and the Priority Substances Directive (2008/105/EC and amendments). Substances posing significant risk to European surface waters and subject to Environmental Quality Standards (EQS).

EPER WATER

1

EPER AIR

EPER Water

Substances from List 1 of Annex III of the IPPC Directive (integrated into the Industrial Emissions Directive 2010/75/EU). Atmospheric pollutants —including SO_2, NOx, heavy metals and organic compounds— that must be taken into account when setting emission limit values for IPPC installations.

Restriction/prohibition regulations

Restricted substances under REACH

Substances listed in Annex XVII of the REACH Regulation (EC) No 1907/2006, subject to restrictions on their manufacture, placing on the market or use. Restrictions may be total or partial, limiting specific applications, maximum concentrations or user groups.

Substances under PACT evaluation

Substances under active regulatory monitoring through ECHA's PACT (Public Activities Coordination Tool). Allows tracking which regulatory authorities are examining a substance and what potential regulatory actions are being considered (restriction, SVHC identification, harmonised classification, etc.).