# 2-Propenoic acid, 2-methyl-, oxydi-2,1-ethanediyl ester@oxydi-2,1-ethanediyl bismethacrylate

### IDENTIFICATION NUMBERS

- **CAS:** 2358-84-1
- **EC/EINECS:** 219-099-9

### MORE INFORMATION

- **Molecular Formula:** C12-H18-O5
- **Synonyms:** ACIDO 2-METIL-2-PROPENOICO, OXIDI-2,1-ETANODIIL ESTER, bis(METACRILATO) DE DIETILEN GLICOL, DIETILEN GLICOL DIMETACRILATO MONOMERO, DIETILEN GLICOL DIMETACRILATO, DIMETACRILATO DE DIETILEN GLICOL, ACIDO METACRILICO, OXIDIETILENO ESTER, OXIDIETILENO METACRILATO, TGM 2, OXIDI-2,1-ETANODIIL bisMETACRILATO

## CLASSIFICATION AND LABELLING (Regulation 1272/2008)

**Symbols**



**GHS07**

Acute toxicity (oral, dermal, inhalation

**Signal word:** **Warning**

**H Phrases**

**H335** : May cause respiratory irritation

STOT SE (Cat. 3) : Specific target organ toxicity - single exposure

**H315** : Causes skin irritation

Skin Irrit. (Cat. 2) : Skin corrosion/irritation

**H319** : Causes serious eye irritation

Eye Irrit. (Cat. 2) : Serious eye damage/eye irritation

*Nota A.*

**Notes**

- R.1272-Note A

**Labelling**

| Concentration | Labelling |
|---|---|
| C>=10% | Xi: R36/37/38 |
| C >= 10 % | STOT única, 3; H335 |

## Specific environmental risks

### Hazardous water substances (Germany)

Substances classified with chronic aquatic toxicity under the CLP Regulation (H410–H413 phrases, Aquatic Chronic categories 1 to 4). They pose a long-term hazard to aquatic organisms, even at low concentrations and through prolonged exposure.

**MMA CLASSIFICATION**

1

## Restriction/prohibition regulations

### REACH sensitisers

Substances identified as respiratory or skin sensitisers under the REACH Regulation. Includes substances that, without necessarily having a CLP classification, have been assessed by ECHA as potentially allergenic in occupational exposure contexts.