Chromium hydroxide oxide silicate

IDENTIFICATION NUMBERS

- **CAS:** 68475-49-0
- **EC/EINECS:** 270-647-3

MORE INFORMATION

- **Synonyms:** CROMO HIDROXIDO OXIDO SILICIO, PRODUCTO DE REACCION DE CROMO (VI) OXIDO Y SILICIO, OXIDO SILICATO DE HIDROXIDO DE CROMO, SILICATO OXIDO HIDROXIDO DE CROMO

⚠ **Black list — Substances particularly hazardous to the environment or health**

CLASSIFICATION AND LABELLING (Regulation 1272/2008)

Symbols



GHS07

Acute toxicity (oral, dermal, inhalation



GHS08

Respiratory sensitisation



GHS09

Hazardous to the aquatic environment

Signal word: **Danger**

H Phrases

H317 : May cause an allergic skin reaction

Skin Sens. (Cat. 1) : Respiratory/skin sensitization

H400 : Very toxic to aquatic life

Aquatic Acute (Cat. 1) : Hazardous to the aquatic environment

H410 : Very toxic to aquatic life with long lasting effects

Aquatic Chronic (Cat. 1) : Hazardous to the aquatic environment

H350i : May cause cancer by inhalation.

Carc. (Cat. 1B) : Carcinogenicity

Nota A.

Notes

- R.1272-Note A

Specific health risks

Occupational Exposure Limits (OEL)

Daily exposure limit values (VLA-ED) published by the Spanish National Institute of Safety and Health at Work (INSST). They represent the average concentration of a chemical agent in the worker's breathing zone, measured or calculated in a time-weighted manner for an 8-hour daily working period. (https://www.insst.es/valores-limites-de-exposicion)

OCCUPATIONAL EXPOSURE LIMITS

State / Form	TWA (ppm)	TWA (mg/m³)	STEL (ppm)	STEL (mg/m³)	Notes
Compuestos solubles de Cr (VI)	—	0.05	—	—	véase Apartado 6, VLB, c, Sen, r
Compuestos insolubles de Cr (VI)	—	0.01	C2	—	véase Apartado 6, VLB, c, Sen, r

Sensitisers

Substances with skin or respiratory sensitisation potential